

给R语言初学者的一些小建议

Tips for beginner

2023-02-24

Kanguo Li

School of Public Health, Xiamen University

Press Space for next page →





目录

1. 目录
2. What difference between Project and Script
3. Why download so slow?
4. The Hidden Secrets of information:
5. Why the package failed to install?
6. Linux: the best system around world!
7. Not just R
8. Learn More

What difference between Project and Script

Project: A folder with a .Rproj file in it.

Script: A .R file.



Why download so slow?

Setting CRAN mirror in China.

Tools -> Global Options -> Packages -> Management

Best CRAN: Hefei > Lanzhou > Beijing

A temporary solution:

```
options("repos" = c(CRAN="https://mirrors.ustc.edu.cn/CRAN/"))
```

The Hidden Secrets of information:

What difference between error, warning and message?

```
knitr::opts_chunk$set(echo = TRUE)
```

```
stop('This should break!')
```

```
## Error in eval(expr, envir, enclos): This should break!
```

```
warning('Watch out!')
```

```
## Warning: Watch out!
```

```
message('This is a message for you')
```

```
## This is a message for you
```

Why the package failed to install?

Permission denied:

Just delete and restart rstudio for windows.

C++ error:

Install Rtools for windows.

Linux: the best system around world!

Using Linux Desktop Distribution

Ubuntu Desktop 18.04 and 20.04.

Not just R

GithubDesktop for git.

VS code for anything.

Typora and Notepad-- for markdown.

Learn More



[PDF download](#)
[GitHub Repository](#)
[My Resume](#)